DEWALT®

OUTDOOR

RANGE BROCHURE

LANDSCAPING SOLUTIONS™

https://cee.dewalt.global/

GUARANTEED TOUGH.®

DEWALT® OUTDOOR

PROFESSIONAL POWERTOOLS

DEWALT® OUTDOOR POWER EQUIPMENT 18V XR®

DEWALT
LITHIUM ION
18V
XR
8AH

GUARANTEED TOUGH.®

DEWALT® OUTDOOR

PROFESSIONAL POWERTOOLS

DEWALT OUTDOOR POWER EQUIPMENT

54V XR FLEXVOLT

LITHIUM ION
DEWALT
9AH
18V
XR FLEXVOLT
54V

XR FLEXVOLT 30 DAYS NO RISK SATISFACTION GUARANTEE

DEWALT
18V 3.5AH
XR
POWER STACK
18V XR
POWERSTACK™
DEWALT 3 YEAR GUARANTEE *

NEW

18V XR® POWERSTACK™ 3.5 AH BATTERY, DCBP318

Pouch battery cells provide increased power, performance and lifespan in application 3.5 Ah capacity pack enhanced size for compact applications whilst supporting growing requirement for performance and runtime. Rubber overmould provides increased protection and premium feel. Less heat build up lower cell resistance/pressure ensures battery runs cooler for longer full 18V XR® system compatibility.

SPECIFICATIONS	
Power voltage	18V
Battery capacity	3.5 Ah
Measures	Length 119 mm, Width 76,9 mm, Height 49 mm
Weight	0.506 kg
Battery cells	Li-ion pouch cells

ART. NO.	PRODUCT DESCRIPTION
DCBP318-XJ	18V XR® POWERSTACK™ 3.5 Ah Battery

---

* To obtain 3 years quarantee on the POWERSTACK batteries, each of the batteries needs to be registered in “MY DEWALT” via this link: https://www.dewalt.eu/3/

DEWALT® OUTDOOR

PROFESSIONAL POWERTOOLS

DEWALT LANDSCAPING AND FORESTRY

54V XR FLEX VOLT

LITHIUM ION
DEWALT
9AH
18V
XR FLEX VOLT
54V
DEWALT
54V
DEWALT

XR FLEX VOLT 30 DAYS NO RISK SATISFACTION GUARANTEE



DEWALT® OUTDOOR

PROFESSIONAL POWERTOOLS ARE GUARANTEED THOUGH

LANDSCAPING SOLUTIONS™

CLEANER, QUIETER, SMARTER
Compared to petrol-powered landscaping tools, our 54V XR FLEXVOLT® series and 18V XR® range offer cleaner, more efficient and sustainable solutions that generate significantly lower noise levels. These benefits are in addistion to our renowned reliability, robustness and durability.

54V XR FLEXVOLT® 18V XR

DEWALT
60V FLEXVOLT

FREEDOM
With no trailing cables and no need to be near an electrical point when working, operating our landscaping tools couldn't be easier. Start-up is as simple as sliding a battery in and a giving single trigger pull, while full variable triggers deliver both power and control.

COMFORT
Compact yet sturdy lightweight designs minimise stress to your arms when in use. Combined with ergonomic handles allows for extended tool use without compromise.

DEWALT
60V BRUSHLESS

RUNTIME TO RIVAL PETROL
Traditional mechanical carbon brush motors generate friction and heat build-up, resulting in lost energy and reduced runtime. We use brushless motors that run more efficiently and cooler and have a longer runtime between charges. Coupled with the high-capacity 54V XR FLEXVOLT® battery our outdoor tools have the power and runtime to rival traditional petrol-powered alternatives.

18V XR
DEWALT
OUTDOOR
POWER EQUIPMENT

2 X 18V XR® BRUSHLESS CORDLESS PRESSURE WASHER, DCMPW1600N

Completely cordless cleaning solution – no access to power or mains water required. Powered by 2 x 18V XR® batteries, Self priming functionality means water can be drawn from a bucket or water butt. Suitable for cleaning tools, vehicles and site clean ups. Brushless motor provides improved run time and durability. Aluminium pump – highly resilient and durable for a long product life. 3 pressure modes: low (70 Bar), high (80 Bar), boost (110 Bar). On board accessory storage. Quick and easy to access, less chance of losing them. Roll cage design is highly durable and protects the machine from on site bumps and knocks, also makes it easy to pick up and carry. Telescopic handle, for ease of transportation and storage.

SPECIFICATIONS	
Power	2 x 18V
Motor Type	Brushless
Pressure (Bar)	70/80/110
Max flow rate	4.6 l per min
Pump	Aluminium
Hose length	6 m
Self priming mode	Yes
Run time (2 x 9 Ah)	Up to 58 min.
Max water temperature (inlet)	60°

ART. NO.	PRODUCT DESCRIPTION
DCMPW1600N-XJ	2 x 18V XR® Brushless Cordless Pressure Washer*

* Included Accessories: 6M Hose, Turbo Nozzle, Adjustable (Fan/Pencil Nozzle), Transparent inlet filter, Gun & Lance, Foam Bottle 0,6L, Self-priming hose kit (3m), Nozzle cleaning pin.

DEWALT® MOVIE
18V XR
DEWALT
OUTDOOR
POWER EQUIPMENT

18V XR® 55 CM POLE HEDGE TRIMMER (25 MM BLADE GAP), DCMPH566

This pole hedge trimmer has extensive 3.35 m reach and innovative articulating 7-position head, combined with an operating speed of 2800 spm, professionals can power through demanding jobs in complete control of the tool, whatever the height, shape or density of the foliage. Delivering extreme runtime of up to 75 minutes. With a 550 mm blade length and impressive 25 mm cutting width, this robust tool provides consistently reliable cutting performance.

SPECIFICATIONS	
Max reach	3.35 m
Blade length	55 cm
Blade gap	25 mm
Blade strokes	2800 spm
Runtime (with 5.0 Ah battery)	Up to 75 min
Weight	3.6 kg

ART. NO.	**PRODUCT DESCRIPTION**
DCMPH566N-XJ	18V XR® 55 cm Pole Hedge Trimmer (25 mm Blade Gap) - Bare Tool Only
DCMPH566P1-QW	18V XR® 55 cm Pole Hedge Trimmer (25 mm Blade Gap) - 1 x 5.0 Ah
RECOMMENDED ACCESSORIES:	
DT20666-QZ	Hedge Trimmer Lubricating Spray

18V XR

DCMHT562
DCMHT564
HEDGE TRIMMER

DEWALT OUTDOOR POWER EQUIPMENT

POWERFUL PRO CORDLESS HEDGE TRIMMER

POWER OF CORDED FREEDOM OF CORDLESS

BLADE LENGTH 55 CM

DCMHT562 – 19 MM BLADE GAP
DCMHT564 – 25 MM BLADE GAP

ERGONOMIC GRIP DESIGN

19 MM
18V XR
DEWALT OUTDOOR POWER EQUIPMENT

NEW

18V XR® 55 CM HEDGE TRIMMER (19 MM BLADE GAP), DCMHT562

Introducing the ultimate hedge trimmer for your gardening needs! Our hedge trimmer features an ergonomic grip, ensuring comfort during extended use. Weighing in at a lightweight design, it allows for easy maneuverability, making it simple to reach those tricky spots in your garden. With a powerful 55 cm blade and a 19 mm gap, you can achieve precise and efficient trimming every time. Enjoy an impressive runtime of 78 minutes, giving you plenty of time to tackle your hedges without interruptions. Plus, when you're done, the included wall mount for storage is compatible with our hedge sweep, keeping your tools organized and ready for the next use. Transform your gardening experience with our reliable hedge trimmer!

SPECIFICATIONS	
Blade lenght	55 cm
Blade gab	19 mm
Blade stroke	1.400 min
Runtime (FV DCB 546 battery)	Up to 78 min
Weight without akku	3.2 kg

ART. NO.	PRODUCT DESCRIPTION
DCMHT562N-XJ	18V XR® 55 cm Hedge Trimmer (19 mm Blade Gap) - Bare Tool Only
DCMHT562P1-QW	18V XR® 55 cm Hedge Trimmer (19 mm Blade Gap) - 1 x 5.0 Ah
RECOMMENDED ACCESSORIES:	
DT20666-QZ	Hedge Trimmer Lubricating Spray
DZ08555-QZ	55 cm Hedge Sweep Attachment

LITHIUM ION
DEWALT
18V
XR
8AH
18V XR

NEW

18V XR® 8.0 AH BATTERY, DCB1880

The high 8.0 Ah battery supports the growing user runtime requirements. Provides additional runtime (up to +60%) versus DCB184 5Ah battery. Provides also an increased power, performance & lifespan in application. Improved thermal properties ensures lower cell resistance resulting in longer, stronger & cooler operation. Rubber overmould provides protection, increases durability and adds premium feel.

SPECIFICATIONS	
Battery voltage	18V
Battery capacity	8.0 Ah
Measures	Length 131 mm, Width 83 mm, Height 71 mm
Weight	1.05 kg
Battery cells	Li-ion 3rd. Generation cylindrical cells

ART. NO.	PRODUCT DESCRIPTION
DCB1880-XJ	18V XR® 8.0 Ah Battery

25 MM
18V XR
DEWALT
OUTDOOR
POWER EQUIPMENT

NEW

18V **XR**® 55 CM HEDGE TRIMMER (25 MM BLADE GAP), **DCMHT**564

Discover the perfect solution for maintaining your garden with our advanced hedge trimmer! Designed with an ergonomic grip, this trimmer ensures maximum comfort, reducing fatigue during prolonged use. Its lightweight build makes it incredibly easy to handle, allowing you to trim with precision and ease. Featuring a robust 55 cm blade and a 25 mm cutting gap, which is compatible with our hedge sweep it delivers clean and efficient cuts every time. With an impressive runtime of 78 minutes, you can complete your trimming tasks without any interruptions. Once the job is done, the convenient wall mount for storage, keeps your tool neatly organized and ready for the next use. Elevate your gardening routine with our high-performance hedge trimmer and enjoy a beautifully manicured garden effortlessly!

SPECIFICATIONS	
Blade lenght	55 cm
Blade gab	25 mm
Blade stroke	1400 min
Runtime (With 5.0 Ah battery)	Up to 78 min
Weight without akku	3.2 kg

ART. NO.	PRODUCT DESCRIPTION
DCMHT564N-XJ	18V XR® 55 cm Hedge Trimmer (25 mm Blade Gap) - Bare Tool Only
DCMHT564P1-QW	18V XR® 55 cm Hedge Trimmer (25 mm Blade Gap) - 1 x 5.0 Ah
RECOMMENDED ACCESSORIES:	
DT20666-QZ	Hedge Trimmer Lubricating Spray
DZ08555-QZ	55 cm Hedge Sweep Attachment

19 MM
18V XR
DEWALT
OUTDOOR POWER EQUIPMENT

18V XR® 55 CM HEDGE TRIMMER (19 MM BLADE GAP), DCM563

Expand your XR® range with this 18V XR® Hedge Trimmer that delivers an impressive runtime of up to 75 minutes per charge. Wrap around aux handle for a comfortable grip in multiple orientations. Compact and lightweight design for less user fatigue whilst trimming. Professional performance with the added convenience of being cordless 55 cm dual-action, laser-cut blades with 19 mm cutting gap and hardened steel for longer life and lasting sharpness.

SPECIFICATIONS	
Blade length	55 cm
Blade gap	19 mm
Blade strokes	1400 min
Runtime (with 5.0 Ah battery)	Up to 75 min
Weight	2.9 kg

ART. NO.	**PRODUCT DESCRIPTION**
DCM563PB-XJ	18V XR® 55 cm Hedge Trimmer (19 mm Blade Gap) - Bare Tool Only
DCM563P1-QW	18V XR® 55 cm Hedge Trimmer (19 mm Blade Gap) - 1 x 5.0 Ah
RECOMMENDED ACCESSORIES:	
DT20666-QZ	Hedge Trimmer Lubricating Spray

DEWALT® MOVIE
Dewalt
25 MM
18V XR
DEWALT
OUTDOOR
POWER EQUIPMENT

18V XR® 55 CM HEDGE TRIMMER (25 MM BLADE GAP), DCMHT563

The lightest high-level cordless hedge trimmer available on the market today at just 2.9 kg. Compact yet high-performing hedge trimmer reliably delivers up to 75 minutes of runtime. With a blade length of 550 mm and a 25 mm cut capacity, this rugged hedge trimmer can tackle the toughest of shrubbery, hedging and dense undergrowth, effortlessly slicing through larger branches and stems without experiencing jams.

SPECIFICATIONS	
Blade length	55 cm
Blade gap	25 mm
Blade strokes	1400 min
Runtime (with 5.0 Ah battery)	Up to 75 min
Weight	2.9 kg

ART. NO.	PRODUCT DESCRIPTION
DCMHT563N-XJ	18V XR® 55 cm Hedge Trimmer (25 mm Blade Gap) - Bare Tool Only
DCMHT563P1-QW	18V XR® 55 cm Hedge Trimmer (25 mm Blade Gap) - 1 x 5.0 Ah
RECOMMENDED ACCESSORIES:	
DT20666-QZ	Hedge Trimmer Lubricating Spray

DEWALT® MOVIE
18V XR®
DEWALT® OUTDOOR POWER EQUIPMENT

18V XR® POLE SAW, DCMPS567

This ergonomic tool has been meticulously engineered by DEWALT® with a lightweight, well-balanced and sturdy form factor, making it easy to manoeuvre even at its fully extended length. Made from light aluminium tubing and at just 4.5 kg. The new DEWALT® Pole Saw reaches as far as 4.5 metres*, with an angled head that gives users a more controlled position, particularly for tougher jobs such as limbing or felling.

SPECIFICATIONS	
Reach (Extended)	3.0 m, with extension pole = 4.5 m reach
Weight	4.5 kg
Bar length	20 cm
Bucking strips	Yes
Brushless motor	Yes
Cuts per charge (5.0 Ah)	55 cuts in 4” x 4” timber

ART. NO.	PRODUCT DESCRIPTION
DCMPS567N-XJ	18V XR® Pole Saw - Bare Tool Only
DCMPS567P1-QW	18V XR® Pole Saw - 1 x 5.0 Ah
RECOMMENDED ACCESSORIES:	
DT20667-QZ	20 cm Pole Saw Chain
DT20668-QZ	20 cm Pole Saw with Bar and Chain
DT20662-QZ	1000 ml Chainsaw Oil

*Based on a 1.8 m person holding the pole in a straightened position at chest level.

18V XR® PRUNING SAW, DCMPS520

Be ready for the outdoor season to cut down branches and bushes with the new pruner chainsaw. Maximum cutting capacity up to 15 cm (6”), and with a metal pruning tip – for control and safety during application, mitigates kickback risk as well. Automatic oiler which keeps bar and chain lubricated during use. Brushless motor for high efficiency and long run time. Bolt lock chain tensioning – for reliable bar retention. Body grip design with hand guard – for control and safety during application use.

SPECIFICATIONS	
Power voltage	18V
Bar length	20 cm
Max. chain speed (no-load)	8.6 m/s
Max. cutting Length	15 cm
Oil capacity	55 ml
Weight (without akku)	2.1 kg
Runtime (DCB184/5,0 Ah)	70 cuts in a 4” x 4” beam
Pitch	3/8” LP
Gauge	0.043”, (1.1 mm)
Drive links	34

ART.NR.	PRODUCT DESCRIPTION
DCMPS520N-XJ*	18V XR® Pruning Saw - Bare Tool Only
DCMPS520P1-QW**	18V XR® Pruning Saw - 1 x 5.0 Ah & Charger
DT20694-QZ	20 cm Chainsaw Bar
DT20693-QZ	20 cm Chainsaw Chain

*N version is bare unit in carton, with wrench and scabbard.

**X1 version comes in carton with 1 x DCB184 5 Ah battery, DCB1104 4amp charger in a carton with wrench and scabbard.

DCMCS565 CHAINSAW

DEWALT
12IN. 30CM

POWERFUL PRO CORDLESS CHAINSAW

POWER OF CORDED FREEDOM OF CORDLESS

TOOLED TENSIONING SYSTEM

IMPROVED OIL CAP AND CAPACITY

ONBOARD TOOLS STORAGE

12IN.
30CM
DEWALT
18V XR BRUSHLESS
DEWALT OUTDOOR POWER EQUIPMENT

NEW

18V XR® BRUSHLESS 30 CM CHAINSAW, DCMCS565

Introducing the ultimate chainsaw for all your cutting needs! Our chainsaw is engineered with an improved oil cap, ensuring hassle-free maintenance and optimal performance. The tooled tensioning system allows for precise adjustments, giving you complete control over your cutting tasks. Designed with an ergonomic grip, this chainsaw provides maximum comfort and reduces fatigue during extended use. The onboard tool storage ensures that you have all the necessary tools at your fingertips, making your work more efficient. Equipped with a robust 30 cm bar and chain, it delivers powerful and reliable cutting performance. Whether you're pruning branches or cutting firewood, our chainsaw is the perfect companion for any job. Experience the convenience and power of our high-quality chainsaw and make your cutting tasks easier than ever!

SPECIFICATIONS	
Bar length	30 cm
Chain speed	7.3 m/s
Chain Pitch	3/8”
Motor Type	Brushless
Oil tank capacity	215 ml
Cuts per charge (5.0 Ah)	Up to 100 cuts in 4”x4” timber
Weight	3.5 kg

ART. NO.	**PRODUCT DESCRIPTION**
DCMCS565N-XJ	18V XR® Brushless 30 cm Chainsaw - Bare Tool Only
DCMCS565P1-QW	18V XR® Brushless 30 cm Chainsaw - 1 x 5.0 Ah
RECOMMENDED ACCESSORIES:	
DT20665-QZ	30 cm Chainsaw Chain and Bar
DT20676-QZ	30 cm Chainsaw Chain
DT20662-QZ	1000 ml Chainsaw Oil

18V XR
DEWALT OUTDOOR POWER EQUIPMENT
DEWALT
30 cm
CHAIN & BAR by OREGON

18V XR® BRUSHLESS 30CM CHAINSAW, DCM565

The DCM565 18V XR® Compact Chainsaw is a versatile tool that can be used in either outdoor or construction applications. Featuring a 300 mm bar and chain, the DCM565 is equally effective at cutting logs as it is trimming timber beams in confined spaces. Lightweight and easy to maneuver, the DCM565 benefits from a large auxiliary handle, auto-oiling and tool free bar and chain replacement. The lightweight and compact saw has a 30 cm cutting capacity and a chain speed of 7,7 m/s^2. A variable speed trigger results in improved control during cutting and means that no pull start is required. The DCM565 uses tool free bar fitment and tensioning for quick, easy chain adjustments, as well as automatic oiling— both of which result in reduced maintenance.

SPECIFICATIONS	
Bar length	300 cm
Cutting capacity	30 cm
Chain speed	7.7 m/s^2
Variable speed trigger	Yes
Oil tank capacity	115 ml
Cuts per charge (5.0 Ah)	70 cuts in 4” x 4” timber
Weight	3.5 kg

ART. NO.	PRODUCT DESCRIPTION
DCM565N-XJ	18V XR® Brushless 30 cm Chainsa - Bare Tool Only
DCM565P1-QW	18V XR® Brushless 30 cm Chainsaw - 1 x 5.0 Ah
RECOMMENDED ACCESSORIES:	
DT20665-QZ	30 cm Chainsaw Chain and Bar
DT20676-QZ	30 cm Chainsaw Chain
DT20662-QZ	1000 ml Chainsaw Oil

18V XR
DEWALT
OUTDOOR
POWER EQUIPMENT

18V XR® BRUSHLESS 33CM STRING TRIMMER, DCM561

Grass trimmer with brushless motor and patented gear drive design, providing more torque and maintaining cut speed under load. Fully variable trigger, offering total power control to the professional user. Padded rubber aux handle for optimal user comfort. Two-speed control, delivering versatility to the user for extended runtime or increased performance. Professional style guard, for more cut access and better visibility. Excellent performance with the added convenience of being battery powered.

SPECIFICATIONS	
Line cutting speed	0–4600 / 0–6000
Cutting width	33 cm
Weight (without battery pack)	3.6 kg
Sound pressure level	79.5 dB(A)

ART. NO.	PRODUCT DESCRIPTION
DCM561PBS-XJ	18V XR® Brushless 33cm String Trimmer - Bare Tool Only
RECOMMENDED ACCESSORIES:	
DT20650-QZ	Grass Trimmer Line 2 mm x 15.2 mt
DT20651-QZ	Grass Trimmer Line 2 mm x 68.6 mt
DT20656-QZ	Grass Trimmer Replacement Spool & 7.8 mt 2 mm line
DT20658-QZ	Quickfeed Spool and 6 mt 2 mm line

DEWALT® MOVIE
Dewalt
18V XR®
DEWALT® OUTDOOR POWER EQUIPMENT

18V XR® BRUSHLESS STRING TRIMMER WITH FOLDING SHAFT, DCMST561

DCMST561 is powered by a high performance DEWALT® brushless motor that delivers a runtime of up to 40 minutes on a single 18V 5.0 Ah battery. With a patented split shaft and hinge format, which allows the string trimmer to fold down to a compact size for easy storing or transporting in a vehicle. Engineered to handle the most challenging of tasks, the large 360 mm swath and 2 mm DEWALT® twisted line ensure absolute precision and impressive cutting results.

SPECIFICATIONS	
Motor	Brushless
Swath	36 cm
Weight	3.5 kg
Speeds	Variable
Feed system	Bump
Feed reload	Quick load
Line	2 mm twisted

ART. NO.	PRODUCT DESCRIPTION
DCMST561N-XJ	18V XR® Brushless String Trimmer with Folding Shaft - Bare Tool Only
DCMST561P1-QW	18V XR® Brushless String Trimmer with Folding Shaft - 1 x 5.0 Ah
RECOMMENDED ACCESSORIES:	
DT20650-QZ	Grass Trimmer Line 2 mm x 15.2 mt
DT20651-QZ	Grass Trimmer Line 2 mm x 68.6 mt
DT20658-QZ	Quickfeed Spool and 6 mt 2 mm line

18V XR
DEWALT
OUTDOOR
POWER EQUIPMENT

18V XR® BRUSHLESS BLOWER, DCMBL562

Powerful brushless motor to deliver performance on a variety of applications. Weight is properly distributed for comfortable use and maximum maneuverability. “Cruise” control trigger for speed lock in specific applications. Differentiate in aisle by offering a concentrator in a ”new to market” format. Concentrator that is compatible with axial fan design.“Aerospike” Concentrator Concentrate the air flow for a higher speed up to 200 km/h. Pick the right performance for every job.

SPECIFICATIONS	
Air Speed	200 km/h
Air Volume	450 CFM
Sound power level	95 dBA
Weight (without battery pack)	3.1 kg

ART. NO.	PRODUCT DESCRIPTION
DCMBL562N-XJ	18V XR® Brushless Blower - Bare Tool Only
DCMBL562P1-QW	18V XR® Brushless Blower - 1 x 5.0 Ah

DEWALT® OUTDOOR

PROFESSIONAL POWERTOOLS ARE GUARANTEED THOUGH

DEWALT
TOUGHSYSTEM 2.0
BRUSHLESS
14IN 35CM

18V XR
DEWALT
OUTDOOR POWER EQUIPMENT

18V XR® POWER PRUNER, DCMPP568

Expansion product for 18V XR system user - more outdoor tools to get the job done. The power pruner is a new DEWALT® cutting solution. High efficiency with up to 1000 cuts with one charge (5.0Ah), 38 mm cut capacity and LED Light. Premium ergonomics and designed to be comfortable even when using it all day. Soft Trigger and only 2 Nm force must be applied to actuate, making the product comfortable even during prolonged use.

SPECIFICATIONS	
Battery Voltage	18V
Cuts pr charge	1000 (5Ah)
Cut capacity	38 mm
Blade replacement	Tooled
Adjusted blade opening	No
Non stick coated blades	Yes

ART. NO.	PRODUCT DESCRIPTION
DCMPP568N-XJ	18V XR® Power Pruner - Bare Tool Only
DCMPP568P1-QW	18V XR® Power Pruner - 1 x 5.0 AH
RECOMMENDED ACCESSORIES:	
DCMPPRB1-QZ	Pruner Replacement Blades

DCMPP569
POLE PRUNER

3 M

POWERFUL
PRO CORDLESS
POLE PRUNER

POWER OF CORDED FREEDOM OF CORDLESS

POSITION ARTICULATING HEAD



SEGMENTED POLE DESIGN

38 MM CUTTING CAPACITY NON STICK COATED BLADES

18V BRUSHLESS XR
DEWALT OUTDOOR POWER EQUIPMENT

NEW

18V XR® POLE PRUNER, DCMPP569

Elevate your pruning tasks with our top-of-the-line pole pruner! Featuring a 3.0-meter collapsible aluminum pole, this pruner allows you to reach high branches with ease while maintaining stability and control. The replaceable non-stick coated blade ensures smooth, clean cuts and long-lasting performance, making maintenance a breeze. With a 5-position articulating head, you can effortlessly adjust the angle for cutting in tight or awkward spaces, ensuring precision and versatility in every job. The metal branch hook adds an extra layer of convenience, helping you pull down trimmed branches safely and efficiently. Perfect for both professional landscapers and gardening enthusiasts, our pole pruner combines durability, functionality, and ease of use. Make your pruning tasks simpler and more efficient with this essential gardening tool!

SPECIFICATIONS	
Battery Voltage	18V
Cut Capacity	38 mm
Blade Replacement	Tooled
Adjusted Blade Opening	No
Non Stick Coated Blades	Yes
Pole Length	Up to 3m

ART.NR.	PRODUCT DESCRIPTION
DCMPP569N-XJ	18V XR® Pole Pruner - Bare Tool Only
RECOMMENDED ACCESSORIES	
DCMPPRB1-QZ	Pruner Replacement Blades
DWS5025-XJ	Track Saw Bag

18V BRUSHLESS XR
DEWALT OUTDOOR POWER EQUIPMENT

18V XR® PUSH LAWN MOWER, DCMWP134

High-efficiency cutting system with dual blades, designed for extended runtime and cutting performance. 53 cm steel deck mower with autosensing brushless motor, is engineered for cutting performance and durability. 3-in-1 push mower with mulch, bagging and side discharge options for a variety of cutting preferences. Convenient LED dashboard communicates battery state of charge, cutting system difficulty, and blade end of life. One touch handle system quickly telescopes and folds handles for ease of storage. The DEWALT® 2 x 18V Push Lawnmower can complete up to 80 minutes of runtime per charge based on mowing one third of grass height, on height setting 5, using 2 fully charged DEWALT® 18V XR® DCB188 8,0 Ah batteries. The DCB188 can only be bought as a sparepart.

SPECIFICATIONS	
Power voltage	2 x 18V
Cut width	53 cm
Bag Capacity	67 l
Weight (without akku)	28 kg
Cutting heights	1= 25 mm / 2= 41 mm 3= 56 mm / 4= 71 mm 5= 86 mm / 6= 102 mm
3 in 1 function	Mulch, Bag, Side Discharge
Wheels size	18 cm front / 23 cm back

ART.NR.	PRODUCT DESCRIPTION
DCMWP134N-XJ*	2 x 18V XR® Push Lawn Mower - Bare Tool Only
DCMWP134W2-QW**	18V XR® Push Lawn Mower - 2 x 8.0 Ah
DT20902-QZ	53 cm Lawn Mower Blade Set

* N version is solo unit with carton with twin blades, excl batteries and charger.
**W2 versions are supplied in carton with 2 x DCB188 8.0 Ah batteries and DCB118 8 amp charger and twin blades.

18V XR
BRUSHLESS
DEWALT
OUTDOOR
POWER EQUIPMENT

2 X 18V SELF-PROPELLED LAWN MOWER, DCMWSP156

High-efficiency cutting system with dual blades, designed for extended runtime and cutting performance. 53 cm steel deck mower with autosensing brushless motor, is engineered for cutting performance and durability. 3-in-1 push mower with mulch, bagging and side discharge options for a variety of cutting preferences. Convenient LED Dashboard communicates battery state of charge, cutting system difficulty, and blade end of life. One touch handle system quickly telescopes and folds handles for ease of storage. Select your ideal walking pace with variable speed, rear wheel drive. The DEWALT® 2 x 18V Self-Propelled Lawnmower can complete up to 64 minutes of runtime per charge based on mowing one third of grass height, on height setting 5, using 2 fully charged DEWALT® 18V XR® DCB188 8,0 Ah batteries. The DCB188 can only be bought as a sparepart.

SPECIFICATIONS	
Power voltage	2 x 18V
Cut width	53 cm
Bag Capacity	67 l
Weight (without akku)	30 kg
Cutting heights	1= 25 mm / 2= 41 mm 3= 56 mm / 4= 71 mm 5= 86 mm / 6= 102 mm
3 in 1 function	Mulch, Bag, Side Discharge
Wheels size	18 cm front / 23 cm back

ART.NR.	PRODUCT DESCRIPTION
DCMWSP156N-XJ*	2 x 18V Self-Propelled Lawn Mower - Bare Tool Only
DCMWSP156W2-QW**	2 x 18V Self-Propelled Lawn Mower - 2 x 8Ah
DT20902-QZ	53 cm Lawn Mower Blade Set

* N version is solo unit with carton with twin blades, excl batteries and charger.
**W2 versions are supplied in carton with 2 x DCB188 8.0 Ah batteries and DCB118 8 amp charger and twin blades.



18V XR® 2-TOOL BRUSHLESS COMBO KIT, DCMST561DCD

Popular split trimmer and compact drilldriver packed together in a kit with 2 x 5.0 Ah batteries. The grass trimmer has a patented split shaft mechanism allowing for easy transportation and storage. Enclosed mechanism protecting the cord from damage or fraying.Lightweight and balanced to reduce user fatigue. Less than 1 m box height, Adjustable handle. Quickload™ Spool with 2 mm twisted DEWALT® line Yellow & black twisted line to power through overgrowth and weeds. Quickload™ bump system to be premium to competitors in aisle. At only 181 mm in length but delivering up to 70 Nm in torque, the DCD791 is a compact drill driver designed for heavy-duty use in confined spaces. With adjustable speed and torque control, it's ideal for countless professional tradesmen including plumbers, HVAC installers, carpenters and general contractors.

SPECIFICATIONS	
DCMST561:	
Motor	18V
Foldable trimmer	yes
Cutting width	36 cm
Line diameter	2 mm
Weight	3.5 kg
DCD791:	
Motor	18V
Max torque (hard)	70 Nm
Chuck	13 mm

ART. NO.	PRODUCT DESCRIPTION
DCMST561DCD-QW	18V XR® 2-Tool Brushless Combo Kit (DCMST561, DCD791) - 2 x 5.0 Ah, Charger *

*The twin kit is delivered in a caton box.



18V XR® 2-TOOL BRUSHLESS COMBO KIT, DCMHT563DCD

Popular hedge trimmer and compact drill driver packed together in a kit with 2 x 5.0 Ah batteries. The 55 cm blade and the 25 mm blade gap will guaranty higher performance and less jams when cutting.The hedge trimmer is lightweight and balanced to reduce user fatigue. Only weighing 2.9 kg. Overmould for higher comfort and better grip. At only 181 mm in length but delivering up to 70 Nm in torque, the DCD791 is a compact drill driver designed for heavy-duty use in confined spaces. With adjustable speed and torque control, it's ideal for countless professional tradesmen including plumbers, HVAC installers, carpenters and general contractors.

SPECIFICATIONS	
DCMHT563:	
Motor	18V
Blade length	55 cm
Cutting speed	1400
Blade gap	25 mm
Weight	2.9 kg
DCD791:	
Motor	18V
Max torque (hard)	70 Nm
Chuck	13 mm

ART. NO.	PRODUCT DESCRIPTION
DCMWSP564N-XJ	18V XR® 2-Tool Brushless Combo Kit (DCMHT563, DCD791) - Bare Tool Only
DT20682-QZ	53cm Replacement Mower Blade

*The twinkit is delivered in a caton box.

18V XR
DEWALT
OUTDOOR
POWER EQUIPMENT

18V XR® 2-TOOL BRUSHLESS COMBO KIT, DCMST561HT

Popular split trimmer and hedge trimmer packed together in a kit with 2 x 5.0 Ah batteries. The grass trimmer has a patented split shaft mechanism allowing for easy transportation and storage. Enclosed mechanism protecting the cord from damage or fraying. Lightweight and balanced to reduce user fatigue. Less than 1 m box height, Adjustable handle. Quickload™ Spool with 2 mm twisted DEWALT® line Yellow & black twisted line to power through overgrowth and weeds. Quickload™ bump system to be premium to competitors in aisle. The hedge trimmer with the 55 cm blade and the 25 mm blade gap will guaranty higher performance and less jams when cutting. The hedge trimmer is lightweight and balanced to reduce user fatigue. Only weighing 2.9 kg. Overmould for higher comfort and better grip.

SPECIFICATIONS	
DCMST561:	
Motor	18V
Foldable trimmer	yes
Cutting width	36 cm
Line diameter	2 mm
Weight	3.5 kg
DCMHT563:	
Motor	18V
Blade length	55 cm
Cutting speed	1400
Blade gap	25 mm
Weight	2.9 kg

ART. NO.	PRODUCT DESCRIPTION
DCMST561HT-QW	18V XR® 2-Tool Brushless Combo Kit (DCMHT563, DCMST561) - 2 X 5.0 Ah, Charger*

*The twin kit is delivered in a carton box.

18V XR
DEWALT
OUTDOOR
POWER EQUIPMENT

18V XR® 2-TOOL BRUSHLESS COMBO KIT, DCMPSH56KIT

Popular pole chainsaw and hedge trimmer packed together in a kit with 1 x 5.0 Ah batteries. The hedge trimmer with the 55 cm blade and the 25 mm blade gap will guaranty higher performance and less jams when cutting. The hedge trimmer is lightweight and balanced to reduce user fatigue. Only weighing 2.9 kg. Overmould for higher comfort and better grip. The polesaw is 3.0 mt with extension pole = 4.5 m reach. Angled head allows for more controlled position when limbing. High efficiency brushless motor, which delivers up to 55 cuts on a 100 x 100 mm branches 20 cm low kick back bar and chain with auto-oiling for smooth cutting performance.

SPECIFICATIONS	
Motor	18V
Hedge trimmer unit	DCMHT563, blade length 55 cm, blade gap 25 mm
Pole saw unit	DCMPS567, bar length 20 cm, chain speed 6.5 m/s^2
Batteries	1 x 5.0 Ah (DCB184)
Charger	DCB115, (4.0 Ah pr hour)

ART. NO.	PRODUCT DESCRIPTION
DCMPSH56KIT-QW	18V XR® 2-Tool Brushless Combo Kit (DCMPS567, DCMHT563) - 1 x 5.0 Ah, Charger*

*The twinkit is delivered in a caton box.

RECOMMENDED BATTERIES AND STARTER KITS

FOR OUTDOOR 18V/54V XR® POWERTOOLS

DCB184-XJ
18V XR® 5.0 Ah Battery

DCB547-XJ
54V XR FLEXVOLT® 9.0 Ah Battery

DCB1880-XJ
18V XR® 8.0 Ah Battery

DCB548-XJ
54V XR FLEXVOLT® 12.0 Ah Battery

DCBP518-XJ
18V POWERSTACK™ 5.0 Ah Battery

DCB549-XJ
54V XR FLEXVOLT® 15.0 Ah Battery

DCB1104P2-QW
18V XR® 5.0 Ah Twin Battery Starter Kit

DCB118X2-QW
54V XR FLEXVOLT® 9.0 Ah Twin Battery Starter Kit

ACCESSORIES



DT20667-QZ
20 cm Pole Saw Chain for DCMPS567
20 cm Bar, Semi Chisel, Pitch: 3/8” LP, Gauge: 0.043”, Links: 35,
File: 4.5 mm

DT20668-QZ
20 cm Pole Saw with Bar and Chain for DCMPS567
20 cm Bar, Semi Chisel, Pitch: 3/8” LP, Gauge: 0.043”, Links: 35,
File: 4.5 mm

DT20676-QZ
30 cm Chainsaw Chain for DCM565, DCMCS565
30 cm Bar, Semi Chisel, Pitch: 3/8” LP, Gauge: 0.050”, Links: 45,
File: 4 mm

DT20665-QZ
30 cm Chainsaw Chain and Bar for DCM565, DCMCS565
30 cm Bar and Chain, Semi Chisel, Pitch: 3/8” LP, Gauge: 0.050”,
Links: 45, File: 4 mm

45cm
DEWALT
54V

DT20687-QZ
45 cm Chainsaw Bar for DCMCS574
45 cm Double Guard, 3/8-7 Tooth Sprocket Nose, Gauge: 0.050”

DT20688-QZ
45 cm Chainsaw Chain for DCMCS574
45 cm Double Guard, 3/8-7 Tooth Sprocket Nose, Gauge: 0.050”,
Links: 62, Semi Chisel, File: 4 mm

50cm
DEWALT
54V

DT20689-QZ
50 cm Chainsaw Bar for DCMCS575
50 cm Pro-Am, 3/8-9 Tooth Sprocket Nose, Gauge: 0.050”



DT20690-QZ
50 cm Chainsaw Chain for DCMCS575
50 cm Pro-Am, 3/8-9 Tooth Sprocket Nose, Gauge: 0.050”, Links: 68,
Semi Chisel, File: 4 mm

DT20694-QZ
20 cm Chainsaw Bar for DCMPS520
8” bar, Pitch: 3/8” LP, Guage: 0.043”/(1.1mm)



DT20693-QZ
20 cm Chainsaw Chain for DCMPS520
8” bar, Pitch: 3/8” LP, Guage: 0.043”/(1.1mm), Links: 34, Semi Chisel,
File: 4 mm

ACCESSORIES

DZO8555-QZ
55 cm Hedge Sweep Attachment for DCMHT562 and DCMHT564

DT20653-QZ
25 cm Tri-Blade Brush Cutter for DCM571

DT20654-QZ
25 cm Tri-Blade Brush Cutter for DCM571



DT20655-QZ
23 cm 4T Brush Cutter Blade for DCM571

DT20657-QZ
Brush Cutter Adapter Set for DCM571

DT20658-QZ
2 mm x 6 m Quickfeed Spool for DCM561PBS/DCM561/DCMST561/DCM571/DCMAS5713/DCMASST1N/DCMASBC1N

DT20656-QZ
Grass Trimmer Spool and 7.8 mt Line, 2 mm for DCM561PBS/DCM561/DCM571/DCM5713/DCMAS5713/DCMASST1N/DCMASBC1N

DT20652-QZ
String Trimmer Cap Spool and Line for DCM571/DCM5713

ACCESSORIES

DT20650-QZ
2 mm x 15.2 m String Trimmer Line for DCM561PBS/DCM561/DCM571/DCMAS5713, DCMASST1N/DT20656/DT20658

DT20651-QZ
2 mm x 68.6 m String Trimmer Line for DCM561PBS/DCM5617/DCM571/DCMAS5713, DCMASST1N/DT20656/DT20658

DCMPPRB1-QZ
Pruner Replacement Blades DCMPP568 and DCMPP569

DT20671-QZ
48 cm Mower Replacement Blade for DCMW564



DT20902-QZ
53 cm Lawn Mower Blade Set for DCMWP134, DCMWSP156, DCMWP500, DCMWSP550, DCMWSP660

DT20662-QZ
1000 ml Chainsaw Oil for all Chainsaws

DT20666-QZ
Hedge Trimmer Lubricating Spray for all Edge Trimmers

DEWALT
54V BRUSHLESS

54V XR FLEX VOLT

EVERY SINGLE ONE IS RIGOROUSLY TESTED

TO WITHSTAND THE TOUGHEST CONDITIONS

LANDSCAPING SOLUTIONS™

DEWALT
54V
BRUSHLESS
50CM

POWER OF CORDED
FREEDOM OF CORDLESS

54V XR FLEX VOLT
DEWALT OUTDOOR POWER EQUIPMENT

54V **XR** FLEXVOLT® PUSH LAWN MOWER, **DCMWP**500

High-efficiency cutting system with dual blades, designed for extended runtime and cutting performance. 53 cm steel deck mower with autosensing brushless motor, is engineered for cutting performance and durability. 3-in-1 push mower with mulch, bagging and side discharge options for a variety of cutting preferences. Convenient LED dashboard communicates battery state of charge, cutting system difficulty, and blade end of life. One touch handle system quickly telescopes and folds handles for ease of storage.

Up to 26 minutes of runtime: per charge, based on mowing one third of grass height, on height setting 5, using 1 fully charged DEWALT® 54V XR FLEXVOLT® DCB546 6.0 Ah battery. Battery sold separately.

Up to 66 minutes of runtime: per charge, based on mowing one third of grass height, on height setting 5, using 1 fully charged DEWALT® 54V XR FLEXVOLT® DCB549 15.0 Ah battery. Battery sold separately.

SPECIFICATIONS	
Power voltage	54V
Cut width	53 cm
Bag Capacity	67 l
Weight (without akku)	26 kg
Cutting heights	1= 25 mm / 2= 41 mm 3= 56 mm / 4= 71 mm 5= 86 mm / 6= 102 mm
3 in 1 function	Mulch, Bag, Side discharge
Wheels size	18 cm front / 23 cm back

ART.NR.	PRODUCT DESCRIPTION
DCMWP500N-XJ	54V XR FLEXVOLT® Push Lawn Mower - Bare Tool Only
DT20902-QZ	53 cm Lawn Mower Blade Set

* N version is solo unit with carton with twin blades, excl batteries and charger.
**W2 versions are supplied in carton with 2 x DCB188 8 Ah batteries and DCB118 8amp charger and twin blades.

54V XR FLEX VOLT
DEWALT
OUTDOOR POWER EQUIPMENT

54V **XR** FLEXVOLT® SELF-PROPELLED LAWN MOWER, **DCMWSP**550

High-efficiency cutting system with dual blades, designed for extended runtime and cutting performance. 53 cm steel deck mower with autosensing brushless motor, is engineered for cutting performance and durability. 3-in-1 push mower with Mulch, Bagging and Side Discharge options for a variety of cutting preferences. Convenient LED dashboard communicates battery state of charge, cutting system difficulty, and blade end of life. One touch handle system quickly telescopes and folds handles for ease of storage. Select your ideal walking pace with variable speed, rear wheel drive.

Up to 18 minutes of runtime: per charge, based on mowing one third of grass height, on height setting 5, using 1 fully charged DEWALT® 54V XR FLEXVOLT® DCB546 6.0 Ah battery. Battery sold separately.

Up to 46 minutes of runtime: per charge, based on mowing one third of grass height, on height setting 5, using 1 fully charged DEWALT® 54V XR FLEXVOLT® DCB549 15.0 Ah battery. Battery sold separately.

SPECIFICATIONS	
Power voltage	54V
Cut width	53 cm
Bag Capacity	67 l
Weight (without akku)	29 kg
Cutting heights	1= 25 mm / 2= 41 mm 3= 56 mm / 4= 71 mm 5= 86 mm / 6= 102 mm
3 in 1 function	Mulch, Bag, Side discharge
Wheels size	18 cm front / 23 cm back

ART.NR.	PRODUCT DESCRIPTION
DCMWSP550N-XJ	54V XR FLEXVOLT® Self-Propelled Lawn Mower - Barte Tool Only
DT20902-QZ	53 cm Lawn Mower Blade Set

* N version is solo unit with carton with twin blades, excl batteries and charger.

54V XR FLEXVOLT

DCMWSP660
SELF PROPELLED

DEWALT OUTDOOR POWER EQUIPMENT





“ONE TOUCH STORAGE” / VERTICAL STORAGE

At the touch of one button, fold handles into storage mode.
Takes up 70% less space in vertical storage vs in operation.

INTERACTIVE USER INTERFACE / AUTOSENSING MOTOR

Load meter and user interface allowing real time feedback.
Autosensing motor adjusts speed applicable to load on motor > thicker/longer grass motor speeds up. This improves performance and runtime.



DUAL BLADE, HIGH EFFICIENCY CORDLESS DECK DESIGN

Decreases grass particle build up and reduced stalls.
More efficient mowing, increased runtime, lower noise.

67L BIG COLLECTION BAG GIVES MORE TIME MOWING

54V XR FLEX VOLT
DEWALT
OUTDOOR POWER EQUIPMENT
DEWALT

NEW

54V XR FLEXVOLT® SELF-PROPELLED LAWN MOWER, DCMWSP660

Introducing the DCMWSP660, the ultimate solution for efficient lawn care. This cordless mower features dual 54V battery bays, providing extended power to cover large areas without interruption.

Its high-efficiency deck with dual blades ensures a precise, clean cut, enhancing your lawn's appearance. Equipped with LED lights, it offers excellent visibility in low-light conditions. The LED interface keeps you informed about battery status and performance.

With the one-touch storage system, folding and storing the mower is effortless. Upgrade to the DCMWSP660 for a superior mowing experience.

SPECIFICATIONS	
Power voltage	2x54V
Cutting width	53 cm
Cutting heights	1 = 25 mm / 2 = 41 mm 3 = 56 mm / 4 = 71 mm 5 = 86 mm / 6 = 102 mm
Bag Capacity	67 l
Weight (without akku)	36 kg
3 in 1 function	Mulch, Bag, Side discharge

ART.NR.	PRODUCT DESCRIPTION
DCMWSP660N-XJ	2 x 54V XR FLEXVOLT® Self-Propelled Lawn Mower - Bare Tool Only
RECOMMENDED ACCESSORIES	
DT20902-QZ	53 cm Lawn Mower Blade Set

DEWALT® MOVIE
54V XR FLEX VOLT
DEWALT OUTDOOR POWER EQUIPMENT
BRUSHLESS

54V XR FLEXVOLT® BRUSHLESS BLOWER, DCMBA572

Designed for the fast and effective removal of construction debris, workshop waste, leaves, twigs, moss and other stubborn garden matter, this versatile and powerful cordless blower will be welcomed by an array of professional users including construction teams, carpenters, metal and woodworkers, gardeners, landscapers, park clean-up workers and clearance specialists. Axial blower model are suitable for blowing on wide areas.

SPECIFICATIONS	
Air volume	650 cfm (18.4 m^3/min)
Blow speed	200 km/h
Sound power level	97 dBA
Weight	3.1 kg

ART. NO.	PRODUCT DESCRIPTION
DCMBA572N-XJ	54V XR FLEXVOLT® Brushless Blower - Bare Tool Only
DCMBA572X1-QW	54V XR FLEXVOLT® Brushless Blower - 1 x 9.0 Ah

LOW
NOISE
HIGH PERFORMANCE
54V XR FLEXVOLT
DEWALT
OUTDOOR POWER EQUIPMENT

54V **XR** FLEXVOLT® BRUSHLESS BLOWER, **DCMBL**777

The DEWALT® 54V XR FLEXVOLT® Brushless Axial Blower powers through your task with up to 21.5 m³/min air volume and 258 KPH. Ideal for landscapers, groundskeepers and professional gardeners it has been designed with features to make work easier and more efficient. This cordless handheld axial blower features a highly efficient brushless motor providing allowing for quiet operation and an excellent power-to-weight ratio with a variable speed trigger and speed lock to control the blower output. Its well-balanced design and optimized controls make it easy to use for right-and left-handed users. Part of the 54V XR FLEXVOLT® battery system, that can both power your line-up of 54V XR® tools and equipment as well as your 18V tools and can be charged with your 18V chargers.

SPECIFICATIONS	
Power	54V
Fantype	Axial
Air volume	760 cfm (21.5 m³/min)
Blow speed	258 km/h
Sound power level	96 dBA
Weight without akku	3.2 kg
Runtime in Ecomode:	Up to 17 minutes of runtime - bare (N): *Per charge, using a DEWALT® DCB547-XJ 9.0 Ah battery on Eco Mode, no load (battery sold separately). - Kitted (X1): *Per charge, using a DEWALT® DCB547-XJ 9.0 Ah battery on Eco Mode, no load.

ART. NO.	PRODUCT DESCRIPTION
DCMBL777N-XJ	54V XR FLEXVOLT® Brushless Blower - Bare Tool Only
DCMBL777X1-QW	54V XR FLEXVOLT® Brushless Blower - 1 x 9.0 Ah, Charger and ACC*

* Included in the kits are: 1x Shoulder Strap, 1 x Concentrator nozzle, 1 x sweeping nozzle.

54V XR FLEXVOLT® 38 CM STRING TRIMMER, DCM5713

Offering all the power of a petrol driven tool without the inconvenience of having to carry / mix fuel. The DCM5713N string trimmer also benefits from a 38 cm swathe allowing it to be used for simple grass cutting.

SPECIFICATIONS	
Cutting Width	38 cm
Load Speed	0 - 5600 rpm
Line Diameter	2 mm
Line Length	7.5 m
Weight	6.6 kg

ART. NO.	PRODUCT DESCRIPTION
DCM5713N-XJ	54V XR FLEXVOLT® 38 cm String Trimmer - Bare Tool Only
RECOMMENDED ACCESSORIES:	
DT20650-QZ	2 mm x 15.2 m String Trimmer Line
DT20651-QZ	2 mm x 68.6 m String Trimmer Line
DT20652-QZ	2.5 mm x 68.6 m String Trimmer Line
DT20656-QZ	String Trimmer Cap, Spool and Line

54V XR FLEX VOLT
DEWALT
OUTDOOR POWER EQUIPMENT

54V XR FLEXVOLT® BRUSH CUTTER, DCM571

The 54V XR FLEXVOLT® brush cutter enables fast job completion with its 38 cm cutting swath. The high efficiency brushless motor enables increased runtime, durability and efficiency. 2 speed setting and variable speed trigger provide ultimate control. 25 cm Tri-blade included for brush cutting applications.

SPECIFICATIONS	
Cutting width	38 cm
Line cutting speed	0-5100 / 0-5600 rpm
Weight	4.6 kg

ART. NO.	PRODUCT DESCRIPTION
DCM571N-XJ	54V XR FLEXVOLT® Brush Cutter - Bare Tool Only
DCM571X1-QW	54V XR FLEXVOLT® Brush Cutter - 1 x 9.0 Ah
RECOMMENDED ACCESSORIES:	
DT20650-QZ	2 mm x 15.2 m String Trimmer Line
DT20651-QZ	2 mm x 68.6 m String Trimmer Line
DT20652-QZ	2.5 mm x 68.6 m String Trimmer Line
DT20656-QZ	String Trimmer Cap, Spool and Line
DT20653-QZ	25 cm Tri-Blade Brush Cutter
DT20654-QZ	25.5 cm Brush Cutter Striaght Blade
DT20655-QZ	23 cm 4T Brush Cutter Blade
DT20657-QZ	Brush Cutter Adapter Set

31 MM
54V XR FLEX VOLT
DEWALT OUTDOOR POWER EQUIPMENT

54V XR FLEXVOLT® 65 CM HEDGE TRIMMER (31 MM BLADE GAP), DCMHT573

Powerful PRO cordless hedge trimmer with 31 mm blade gap. The hedge trimmer has a brushless motor and premium ergonomics. Soft Trigger installed for better handling. Cut through bigger branches and smoother cut even on thicker branches. Large build in protection guard prevents injuries and protects hands from hedge and blade. Laser cut blades makes cutting teeth's sharper and long lasting. Delivers up to 67 min runtime with a 54V 6.0 Ah battery (DCB546).

SPECIFICATIONS	
Power	38 cm
Blade lenght	65 cm
Blade gab	31 mm
Blade stroke	1.400 min
Runtime (FV DCB 546 battery)	Up to 67 min
Weight without akku	4.1 kg

ART. NO.	**PRODUCT DESCRIPTION**
DCMHT573N-XJ	54V XR FLEXVOLT® 65 cm Hedge Trimmer (31 mm Blade Gap) - Bare Tool Only
DCMHT573X1-QW	54V XR FLEXVOLT® 65 cm Hedge Trimmer (31 mm Blade Gap) - 1 x 9.0 Ah, Charger

12 AH

SOMETIMES BIGGER IS BETTER

RUNTIME THAT CANNOT BE BEATEN

DEWALT
XR FLEX VOLT
18V
9.0AH
LI-ION
DEWALT
XR FLEX VOLT
18V
12.0AH
54V
LI-ION
DEWALT
XR FLEX VOLT
54V
18V
6.0AH
LI-ION

54V XR FLEX VOLT

DEWALT® MOVIE

45CM
DEWALT
54V
54V
54V XR FLEXVOLT
DEWALT OUTDOOR POWER EQUIPMENT

54V XR FLEXVOLT® 45 CM CHAINSAWS, DCMCS574

Made for professional landscape use, the 54V XR FLEXVOLT® Chainsaw delivers 20 percent more peak power and more than 2X the max torque than a 50.2 cc gas chainsaw. Capable of cutting through 17-In. white oak logs as fast as 15 seconds using a DCB547 battery, the chainsaw features robust chain tensioning for reliable chain retention, auto-oiling for longevity of use, a chain brake and an onboard wrench for quick chain adjustments.
Up to 65 cuts on 150 x 150 mm per charge (9.0 Ah)
Up to 85 cuts on 150 x 150 mm per charge (12.0 Ah)
Up to 115 cuts on 150 x 150 mm per charge (15.0 Ah)

SPECIFICATIONS	
Motor	54V
Power rating	2100 W (DCB547 battery)/2900 W (DCB549 battery)
Petrol equivalent	40CC
Bar/chain	45 cm
Chain tension	Dual lock
Bucking spikes	Metal
Oiler	Automatic
Weight without akku	5.0 kg

ART. NO.	PRODUCT DESCRIPTION
DCMCS574N-XJ	54V XR FLEXVOLT® 45 cm Chainsaw - Bare Tool Only*
DCMCS574X1-QW	54V XR FLEXVOLT® 45 cm Chainsaw - 1 x 9.0 Ah, Charger*
DT20687-QZ	45 cm Chainsaw Bar
DT20688-QZ	45 cm Chainsaw Chain

* 45cm Double Guard, 3/8-7 tooth sprocket nose, .050" gauge, 62 links, semi chisel, File: 4 mm.

DEWALT® MOVIE
54V
DEWALT
50 CM
54V XR FLEXVOLT
DEWALT OUTDOOR POWER EQUIPMENT

54V XR FLEXVOLT® 50 CM HIGH POWERED CHAINSAW, DCMCS575

Made for professional landscape use, the 54V XR FLEXVOLT® Chainsaw delivers 20 percent more peak power and more than 2X the max torque than a 50.2 cc gas chainsaw. Capable of cutting through 17-In. white oak logs as fast as 15 seconds using a DCB547 battery, the chainsaw features robust chain tensioning for reliable chain retention, auto-oiling for longevity of use, a chain brake and an onboard wrench for quick chain adjustments.

Up to 65 cuts on 150 x 150 mm per charge (9.0 Ah)
Up to 85 cuts on 150 x 150 mm per charge (12.0 Ah)
Up to 115 cuts on 150 x 150 mm per charge (15.0 Ah)

SPECIFICATIONS	
Motor	54V
Power rating	2900 W (DCB547 battery)/3300 W (DCB549 battery)
Petrol equivalent	50CC
Bar/chain	50 cm
Chain tension	Dual lock
Bucking spikes	Metal
Oiler	Automatic
Weight without akku	5.5 kg

ART. NO.	PRODUCT DESCRIPTION
DCMCS575N-XJ	54V XR FLEXVOLT® 50 cm High Powered Chainsaw - Bare Tool Only*
DCMCS575X1-QW	54V XR FLEXVOLT ® 50 cm High Powered Chainsaw - 1 x 9.0 Ah*
DT20689-QZ	50 cm Chainsaw Bar
DT20690-QZ	50 cm Chainsaw Chain

*50 cm Pro-Am, 3/8-9 tooth sprocket nose, .050" gauge, 68 links, semi chisel, File: 4 mm.

54V XR FLEXVOLT

DCMPS635
POLE SAW

POWERFUL PRO CORDLESS POLE SAW

POWER OF CORDED FREEDOM OF CORDLESS


BRUSHLESS
10in 25cm

ALUMINIUM GEARCASE

LOW PROFILE CUTTING HEAD

ROLL CAGE DESIGN

54V XR FLEX VOLT
DEWALT
OUTDOOR POWER EQUIPMENT

NEW

54V XR FLEXVOLT® POLE SAW, DCMPS635

Introducing the DCMPS635, your go-to tool for precision and power in tree maintenance. This cordless pole saw is designed to make trimming and pruning tasks effortless. With its 54V battery, it delivers consistent power, allowing you to tackle high branches with ease. The 25CM bar and chain provide a clean, efficient cut, while the extension pole offers up to 3.5 m of reach, ensuring you can access hard-to-reach areas safely. Lightweight and well-balanced, the DCMPS635 reduces fatigue during extended use. Upgrade your yard care routine with the DCMPS635 and achieve professional results every time!

SPECIFICATIONS	
Power Voltage	54V
Bar Length	25 cm
Chain Speed	15.6 m/s
Chain Pitch	3.8” LP
Extended Lenght	3.56 m
Collapsed Length	2.38 m
Motor Type	Brushless

ART.NR.	PRODUCT DESCRIPTION
DCMPS635-XJ	54V XR FLEXVOLT® Pole Saw - Bare Tool Only
RECOMMENDED ACCESSORIES	
DZO6225-QZ	25 cm Chainsaw Bar
DZO6325-QZ	25 cm Chainsaw Chain
DT20662-QZ	1000 ml Chainsaw Oil

54V XR FLEX VOLT

DCMAS5713X1-QW
54V XR FLEXVOLT® Splitbom motor unit incl trimmer attachment, DCB547 battery, shoulder strap, and softbag.

DCMAS5713N-XJ*
54V XR FLEXVOLT® Splitbom motor unit to attachments incl. shoulder strap.

POWER OF CORDED | **FREEDOM** OF CORDLESS

ATTACHMENTS THAT CAN BE BOUGHT FOR THE SPLITBOM MOTOR UNIT

54V XR FLEXVOLT® string trimmer attachment bare DCMASST1N-XJ

54V XR FLEXVOLT® brush cutter attachment bare DCMASBC1N-XJ

54V XR FLEXVOLT® hedge trimmer attachment bare DCMASPH6N-XJ

54V XR FLEXVOLT® pole saw attachment bare DCMASPS5N-XJ

54V XR FLEXVOLT® MOTOR UNIT AND ATTACHMENT UNITS

When multiple tools are required split boom systems offer a more economic solution. The attachment range covers the most common outdoor applications: String trimmer, brush cutter, pole hedge, pole saw. Well balanced design and split shaft for compact storage and easy transportation.

SPECIFICATIONS	
Power	54V
Variable speed	Yes
Brushless motor	Yes
Weight (motorunit)	6.4 kg

ART. NO.	PRODUCT DESCRIPTION
DCMAS5713N-XJ*	54V XR FLEXVOLT® Split Boom Power Head - Bare Tool Only
DCMASBC1N-XJ	54V XR FLEXVOLT® Split Boom Brush Cutter Attachment - Bare Tool Only
DCMASST1N-XJ	54V XR FLEXVOLT® Split Boom String Trimmer Attachment - Bare Tool Only
DCMASPH6N-XJ	54V XR FLEXVOLT® Split Boom Pole Hedge Trimmer Attachment - Bare Tool Only
DCMASPS5N-XJ***	54V XR FLEXVOLT® Split Boom Pole Saw Attachment - Bare Tool Only
DCMAS5713X1-QW*/**	54V XR FLEXVOLT® Split Boom with String Trimmer Attachment - 1 x 9.0 Ah

* Shoulderstrap incl. ** Softbag incl. *** Extension pole incl.

ACCESSORIES FOR 54V SPLIT BOOM TRIMMER

FOR OUTDOOR POWERTOOLS

DT20680-QZ
54V XR FLEXVOLT® 4 T Split Boom Brush Cutter Blade for DCMASBC1N-XJ and (DCMASST1N-XJ when using DT20684-QZ Adapter Set)

DT20683-QZ
Split Boom Carry Bag



DT20684-QZ
Brush Cutter Adapter Set for DCMASST1N-XJ

DT20685-QZ
54V XR FLEXVOLT® Split Boom Pole Saw Extension Pole for DCMASPS5N

DT20686-QZ
54V XR FLEXVOLT® 20cm Split Boom Pole Saw Bar for DCMASPS5N.



DT20681-QZ
54V XR FLEXVOLT® Split Boom Pole Saw Chain* for DCMASPS5N.
20 cm Bar, Semi Chisel, Pitch: 3/8” LP, Gauge: 0.043”, Links: 35, File: 4.5mm

DT20656-QZ
String Trimmer Cap, Spool and Line for DCMASST1N

DT20658-QZ
2 mm x 6 m Quickfeed Spool for DCMASST1N

54V XR FLEX VOLT

XR FLEXVOLT

POWER OF CORDED | **FREEDOM** OF CORDLESS™

54V

DEWALT® MOVIE

Dewalt

LITHIUM ION
DEWALT
9AH
18V
XR FLEXVOLT
54V
BRUSHLESS

XR FLEXVOLT 30 DAYS NO RISK SATISFACTION GUARANTEE

DEWALT XR FLEXVOLT

POWER OF CORDED | FREEDOM OF CORDLESS

WHAT IS XR FLEXVOLT®?

XR FLEXVOLT® is a range of 54V power tools that offer performance and runtime which has never been seen before. For the first time professional tradesmen can reliably undertake heavy-duty construction applications without the need for mains power.

This innovation means that you can have true mains performance across a range of tools without the inconvenience of a cord. **DEWALT® XR FLEXVOLT®** is the only battery on the market that can switch from 54V to 18V making it backward compatible with your existing XR® powertools.

DEWALT
XR FLEX VOLT
54V
LI-ION
18V
12.0AH
18V 54V

CORDLESS WITHOUT COMPROMISE

Traditionally, when compared with corded power tools even the most efficient cordless systems required a compromise between portability and power.

DEWALT® has unlocked the true potential of cordless technology to deliver a growing range of 54V power tools that require zero compromise. All the power of corded, with the freedom of cordless.

CONVERTIBLE BATTERY PACK

18V XR

Backwards compatible

54V XR FLEXVOLT

XR FLEXVOLT®

DEWALT
XR FLEX VOLT 54V
LI-ION
18V
12.0AH
18V
54V

DEWALT® is committed to offering real-world practicality and convenience.
The XR FLEXVOLT® battery pack is not only interchangeable across the complete 54V range but is also backwards compatible with all existing 18V XR® tools. Circular saws, Drills, Table Saws, Nail Guns, Alligator Saws, Impact Drivers – professional tradesmen can now operate every power tool they need on a single cordless system.


18V XR
DEWALT
XR FLEX VOLT 54V
LI-ION
18V
54V XR FLEXVOLT
3.6V 3.6V 3.6V 3.6V 3.6V
3.6V 3.6V 3.6V 3.6V 3.6V
3.6V 3.6V 3.6V 3.6V 3.6V
9 Ah
18V
XR FLEXVOLT
3.6V 3.6V 3.6V 3.6V 3.6V
3 Ah
54V
3.6V 3.6V 3.6V 3.6V 3.6V
3.6V 3.6V 3.6V 3.6V 3.6V

ADVANCED TECHNOLOGY

Standard XR® batteries have 5 x 3.6V (18V) cells connecting in a series and either one or two strings in parallel, giving either an 18V 2.0 Ah or an 18V 5.0 Ah battery.

XR FLEXVOLT® batteries are flexible. They connect in parallel for 18V tools and in a series for 54V tools. The result? The right power for the tool - with increased runtime and consistent performance.

STEPPING INTO COMMERCIAL PRO WITH OUR NEW

DEWALT

LANDSCAPING AND FORESTRY

Available exclusively in Outdoor Dealers channel only.

INTRODUCING LANDSCAPING AND FORESTRY SERIES

HANDHELD*

Since 1924, DEWALT® has always looked toward the future.
This is a company that has electrified jobsites to build the modern world.
This is our next workspace – Outdooe power designed for the pro now, and for years to come.

This is future grade.™

***Available exclusively in Outdoor Dealers channel only.**

TO THE
WORLD'S
MOST DEMANDING
PROS

The DEWALT® Landscaping & Forestry Series refers to a line of high-performance tools and equipment designed by DEWALT®. This series is engineered to meet the needs of professionals who require durable, reliable, and powerful tools for their projects.

Key features of the DEWALT® Forestry & Landscaping Series include:

Advanced Technology:
Incorporation of the latest technological advancements to enhance performance, efficiency, and user experience.
This includes brushless motors, and smart features for better control and precision.

Durability:
Built to withstand tough job site conditions, the tools are made from high-quality materials and designed to be long-lasting, even under heavy use.

Ergonomics:
Focus on user comfort and ease of use, with ergonomic designs that reduce fatigue and improve handling during extended periods of operation.

Versatility:
A wide range of tools and accessories that cater to various landscaping and forestry applications, including chainsaws, polesaw and trimmers. This allows users to tackle a variety of tasks with the right tool for the job.

Performance:
High power output and efficiency, ensuring that users can complete their tasks quickly and effectively with professional-grade results. The DEWALT® Landscaping & Forestry Series aims to provide users with the tools they need to tackle demanding projects with confidence, offering a combination of innovation, strength, and reliability that DEWALT® is known for.

54V XR FLEX VOLT

POLE SAW
DCMPS640*

54V
DEWALT
12IN.
30CM

DEWALT LANDSCAPING AND FORESTRY

POWERFUL
PRO CORDLESS
POLE SAW

POWER OF CORDED FREEDOM OF CORDLESS

BRUSHLESS
12IN.
30CM

MAGNESIUM GEARCASE

12IN.
30CM
DEWALT

LOW PROFILE CUTTING HEAD



LED DISPLAY: STATE OF CHARGE, OVERLOAD WARNING, ECOMODE

*Available exclusively in Outdoor Dealers channel only.

54V XR FLEX VOLT
DEWALT
LANDSCAPING AND FORESTRY

NEW

54V XR FLEXVOLT® 30 CM POLE SAW, DCMPS640*

Introducing the DCMPS640, the pinnacle of cordless pole saws, designed for superior tree maintenance. Equipped with a powerful 54V battery, it ensures consistent performance for tackling high branches effortlessly. The 30 cm bar and chain deliver precise, clean cuts, while the extendable pole offers up to 4 =mtr of reach for those hard-to-access areas. The LED user interface provides real-time feedback on battery status, enhancing your control. Built with a durable magnesium gearcase, the DCMPS640 is both lightweight and robust, reducing fatigue and ensuring longevity.

SPECIFICATIONS	
Power Voltage	54V
Bar Length	30 cm
Chain Speed	21.3 m/s
Chain Pitch	0.325” LP
Extended Lenght	4.06 m
Collapsed Length	2.94 m
Motor Type	Brushless

ART.NR.	PRODUCT DESCRIPTION
DCMPS640-XJ	54V XR FLEXVOLT® 30 cm Pole Saw - Bare Tool Only
RECOMMENDED ACCESSORIES	
DZ06430-QZ	30 cm Chainsaw Bar
DZ06530-QZ	30 cm Chainsaw Chain
DT20662-QZ	1000 ml Chainsaw Oil

*Available exclusively in Outdoor Dealers channel only.

54V XR FLEXVOLT

STRING TRIMMER DCMST911*



3-SPEED 0-5100/min

LED DISPLAY

SERVICEABLE

42 cm

2.4 mm

Mg

DEWALT LANDSCAPING AND FORESTRY

POWERFUL PRO CORDLESS STRING TRIMMER

POWER OF CORDED FREEDOM OF CORDLESS

MAGNESIUM GEARCASE

LIGHTWEIGHT D-HANDLE DESIGN, WITH LED INTERFACE

HARDENED STEEL GEARS AND 42 CM SWATH WITH PRO GUARD

*Available exclusively in Outdoor Dealers channel only.



NEW

54V XR FLEXVOLT® 42 CM STRING TRIMMER, DCMST911*

Introducing the DCMST911, a top-tier cordless string trimmer designed for precision and durability. Powered by a robust 54V battery, it offers reliable performance for all your trimming needs. The LED user interface provides instant feedback on battery life, keeping you informed and in control. Its magnesium gearcase ensures a lightweight yet durable build, reducing fatigue while enhancing longevity. With a high-efficiency motor, the DCMST911 delivers powerful cutting performance, making yard maintenance a breeze. Perfect for professional landscapers, the DCMST911 ensures your lawn looks its best with minimal effort.

SPECIFICATIONS	
Power Voltage	54V
Cutting Speed	3 Speed / 0-5100RPM
Cutting Width	42cm
Line Diameter	2-2.7mm
Weight (Bare Version)	5.9kg
Motor Type	Brushless

ART.NR.	PRODUCT DESCRIPTION
DCMST911N-XJ	54V XR FLEXVOLT® 42 cm String Trimmer - Bare Tool Only
RECOMMENDED ACCESSORIES	
DT20903-QZ	Replacement Bump Head
DT20905-QZ	2.7 mm x 55 m String Trimmer Line
DT20906-QZ	2.7 mm x 210 m String Trimmer Line
DT20904-QZ	Brush Cutter Adapter Set

*Available exclusively in Outdoor Dealers channel only.

54V XR FLEXVOLT

STRING TRIMMER BULL DCMST922*

3-SPEED 0-5100/min
LED DISPLAY
SERVICEABLE
42 cm
2.4 mm
Mg

DEWALT LANDSCAPING AND FORESTRY

POWERFUL PRO CORDLESS STRING TRIMMER BULL

POWER OF CORDED FREEDOM OF CORDLESS

MAGNESIUM GEARCASE

BULL HANDLE, WITH LED INTERFACE & STORAGE MECHANISM

HARDENED STEEL GEARS AND 42 CM SWATH WITH PRO GUARD

*Available exclusively in Outdoor Dealers channel only.



NEW

54V XR FLEXVOLT® 42 CM STRING TRIMMER BULL, DCMST922*

The DCMST922 cordless string trimmer offers unmatched precision and comfort for your lawn care needs. Equipped with a powerful 54V battery, it ensures consistent performance for tackling even the toughest grass. The LED user interface provides real-time updates on battery status, keeping you informed throughout your task. Its magnesium gearcase offers a lightweight yet durable design, minimizing fatigue and maximizing durability. Featuring an ergonomic bull handle and a deluxe harness, this trimmer provides superior comfort and control, making extended use effortless.

Ideal for professional landscapers, the DCMST922 ensures your lawn looks immaculate with minimal effort.

SPECIFICATIONS	
Power Voltage	54V
Cutting Speed	3 Speed / 0-5100 RPM
Cutting Width	42 cm
Line Diameter	2-2.7 mm
Weight (Bare Version)	6.6 kg
Motor Type	Brushless

ART.NR.	PRODUCT DESCRIPTION
DCMST922N-XJ	54V XR FLEXVOLT® 42 cm String Trimmer Bull - Bare Tool Only
RECOMMENDED ACCESSORIES	
DT20903-QZ	Replacement Bump Head
DT20905-QZ	2.7 mm x 55 m String Trimmer Line
DT20906-QZ	2.7 mm x 210 m String Trimmer Line
DT20904-QZ	Brush Cutter Adapter Set

*Available exclusively in Outdoor Dealers channel only.

DEWALT

54V XR FLEXVOLT

BRUSH CUTTER
DCMBC812*

3-SPEED 0-5100/min

LED DISPLAY

SERVICEABLE

25 cm

Mg

DEWALT LANDSCAPING AND FORESTRY

POWERFUL
PRO CORDLESS
BRUSH CUTTER

POWER OF CORDED FREEDOM OF CORDLESS

MAGNESIUM GEARCASE



LIGHTWEIGHT D-HANDLE DESIGN, WITH LED INTERFACE

HARDENED STEEL GEARS AND 25 CM BLADE WITH PRO GUARD SWATH

*Available exclusively in Outdoor Dealers channel only.



NEW

54V XR FLEXVOLT® 25 CM BRUSH CUTTER, DCMBC812*

The DCMBC812 brush cutter is expertly crafted for those who demand efficiency and durability in their outdoor equipment. Powered by a robust 54V battery, it delivers consistent cutting power, making it ideal for managing dense brush and overgrown areas. The LED user interface provides real-time updates on battery status and performance, ensuring you stay informed and in control. Its magnesium gearcase offers a lightweight yet durable design, reducing fatigue during prolonged use. Paired with a deluxe harness, this tool ensures superior comfort and support, allowing for extended operation with ease.

Perfect for professional landscapers, the DCMBC812 ensures your property looks its best with minimal effort.

SPECIFICATIONS	
Power Voltage	54V
Cutting Speed	3 Speed / 0-5100 RPM
Cutting Width	25 cm
Weight (Bare Version)	6.8 kg
Motor Type	Brushless

ART.NR.	PRODUCT DESCRIPTION
DCMBC812N-XJ	54V XR FLEXVOLT® 25 cm Brush Cutter - Bare Tool Only
RECOMMENDED ACCESSORIES	
DT20695-QZ	Line Trimmer Adapter Set
DT20653-QZ	25 cm Tri-Blade Brush Cutter
DT20655-QZ	23 cm 4T Brush Cutter Blade

*Available exclusively in Outdoor Dealers channel only.

DEWALT

54V XR FLEXVOLT

DCMBC823*
BRUSH CUTTER BULL



3-SPEED 0-5100/min

LED DISPLAY

SERVICEABLE

25 cm

Mg

DEWALT LANDSCAPING AND FORESTRY

POWERFUL PRO CORDLESS BRUSH CUTTER BULL

POWER OF CORDED FREEDOM OF CORDLESS

MAGNESIUM GEARCASE

BULL HANDLE, WITH LED INTERFACE & STORAGE MECHANISM

HARDENED STEEL GEARS AND 25 CM BLADE WITH PRO GUARD SWATH

*Available exclusively in Outdoor Dealers channel only.



NEW

54V XR FLEXVOLT® 25 CM BRUSH CUTTER BULL, DCMBC823*

The DCMBC823 brush cutter is designed for those who seek power and precision in tackling tough outdoor tasks. Featuring a high-capacity 20V MAX battery, it ensures consistent and robust cutting performance, perfect for dense brush and challenging terrain. The LED user interface provides real-time updates on battery life and tool performance, keeping you informed and in control. Its magnesium gearcase offers a lightweight yet durable construction, minimizing fatigue during extended use. The ergonomic bull handle and deluxe harness enhance comfort and control, allowing for smooth and efficient operation.

Transform your yard work experience with the DCMBC823, where durability meets ease.

SPECIFICATIONS	
Power Voltage	54V
Cutting Speed	3 Speed / 0-5100 RPM
Cutting Width	25 cm
Weight (Bare Version)	6.8 kg
Motor Type	Brushless

ART.NR.	PRODUCT DESCRIPTION
DCMBC823N-XJ	54V XR FLEXVOLT® 25 cm Brush Cutter Bull - Bare Tool Only
RECOMMENDED ACCESSORIES	
DT20695-QZ	Line Trimmer Adapter Set
DT20653-QZ	25 cm Tri-Blade Brush Cutter
DT20655-QZ	23 cm 4T Brush Cutter Blade

*Available exclusively in Outdoor Dealers channel only.

54V XR FLEXVOLT

FORESTRY SAW BULL
DCMBC723*



LOW MED HIGH
3-SPEED 0-5100/min

LED DISPLAY

SERVICEABLE

25 cm (24T)

Mg

DEWALT LANDSCAPING AND FORESTRY

POWERFUL
PRO CORDLESS
FORESTRY SAW BULL

POWER OF CORDED FREEDOM OF CORDLESS

MAGNESIUM GEARCASE

BULL HANDLE, WITH LED INTERFACE & STORAGE MECHANISM

HARDENED STEEL GEARS AND 25 CM SAW BLADE WITH PRO SAW GUARD

*Available exclusively in Outdoor Dealers channel only.



NEW

54V XR FLEXVOLT® 25 CM FORESTRY SAW BULL, DCMBC723*

The DCMBC723 forestry saw is engineered for professionals who require power and precision in demanding environments. Equipped with a high-performance 54V battery, it delivers reliable cutting power for heavy-duty forestry tasks. The LED user interface provides real-time feedback on battery life and tool performance, ensuring optimal efficiency and control. Its magnesium gearcase offers a lightweight yet robust construction, reducing operator fatigue during extended use. The ergonomic bull handle and deluxe harness enhance comfort and stability, allowing for precise maneuverability.

Tackle the toughest forestry challenges with the DCMBC723, where innovation meets rugged reliability.

SPECIFICATIONS	
Power Voltage	54V
Cutting Speed	3 Speed / 0-5100 RPM
Cutting Width	25 cm
Weight (Bare Version)	6.8 kg
Motor Type	Brushless

ART.NR.	PRODUCT DESCRIPTION
DCMBC723-XJ	54V XR FLEXVOLT® 25 cm Forestry Saw Bull - Bare Tool Only

*Available exclusively in Outdoor Dealers channel only.

ACCESSORIES

DT20904-QZ
Brush Cutter Adapter Set
Transform your string trimmer into a powerful brush cutter with the DT20904-QZ Brush Cutter Adapter Set. This essential upgrade enhances the versatility and efficiency of your existing equipment, making it perfect for both professional landscapers and dedicated homeowners. Designed for easy installation, the DT20904-QZ allows you to switch from trimming grass to tackling dense brush and overgrowth effortlessly.

The kit includes a durable brush cutter blade, crafted from high-quality materials to ensure long-lasting performance. This robust blade cuts through thick vegetation with ease, providing the power and precision needed for demanding outdoor tasks. Additionally, the kit features a pro guard, offering enhanced safety by protecting you from debris while you work.

Maximize the potential of your outdoor equipment with the DT20904-QZ, making it adaptable to a variety of landscaping challenges. The user-friendly design ensures straightforward installation, even for those with minimal technical expertise. Compatible with a wide range of string trimmers, this conversion kit extends the functionality and lifespan of your tool.

Upgrade your gardening toolkit with the DT20904-QZ Brush Cutter Adapter Set and experience the convenience of a multi-functional tool. Achieve professional results with minimal effort, ensuring your property looks its best.

DT20695-QZ
Line Trimmer Adapter Set
Transform your brush cutter into a versatile string trimmer with the DT20695-QZ Line Trimmer Adapter Set. This essential upgrade enhances the functionality of your existing equipment, making it ideal for both professional landscapers and dedicated homeowners. Designed for easy installation, the DT20695-QZ allows you to effortlessly switch from cutting dense brush to trimming grass and delicate areas.

The kit includes a durable trimmer head, engineered for precision and long-lasting performance. This efficient head ensures a clean, manicured finish, perfect for detailed trimming tasks. The conversion process is straightforward, allowing you to quickly adapt your tool to various landscaping needs.

Maximize your outdoor equipment's potential with the DT20695-QZ, making it adaptable to a wide range of gardening challenges. The user-friendly design ensures simple installation, even for those with minimal technical expertise. Compatible with a variety of brush cutters, this conversion kit extends the functionality and lifespan of your tool.

Enhance your gardening toolkit with the DT20695-QZ Line Trimmer Adapter Set and enjoy the convenience of a multi-functional tool. Achieve professional results with minimal effort, ensuring your property looks its best.

ACCESSORIES

DT20697-QZ
Shoulder Strap
The DT20697 shoulder strap is a must-have accessory for anyone using a grass trimmer, designed to improve comfort and efficiency. Made from durable materials, this strap is built to withstand regular use. Its adjustable length ensures a perfect fit for various body types, while the padded section distributes the trimmer's weight evenly across the shoulder, minimizing strain and fatigue. This is especially useful for extended trimming sessions. The strap enhances safety by providing better control, allowing for precise movements and reducing accident risks. Easy to attach and remove, it adds convenience to your gardening routine.

The DT20697 shoulder strap makes yard work more manageable and comfortable.

DT20698-QZ
Harness
The DT20608 Deluxe Harness is an essential accessory for users of grass trimmers, brush cutters, and clearing saws. Designed for maximum comfort and efficiency, this harness distributes the weight of the equipment evenly across the shoulders and back, reducing fatigue during extended use. Made from high-quality, durable materials, it ensures long-lasting performance even under demanding conditions. The harness features adjustable straps, allowing for a customized fit that accommodates various body sizes. Its quick-release mechanism provides added safety and convenience, enabling users to detach quickly in case of emergencies. Ideal for professional landscapers, the DT20608 Deluxe Harness enhances control and maneuverability, making yard work more efficient and less strenuous.

DT20699-QZ
EXO Harness
Enhance your outdoor work with the DT20699-QZ EXO Harness, designed for ultimate comfort and efficiency. Perfect for professional landscapers and dedicated homeowners, this harness is essential for reducing fatigue and boosting productivity. Constructed from durable materials, it ensures long-lasting performance even in the toughest conditions.

The ergonomic design distributes weight evenly across your shoulders and back, minimizing strain during extended use. Adjustable straps and padded shoulder pads offer a customized fit, providing maximum comfort throughout your tasks. Quick-release buckles allow for easy attachment and removal, making transitions between tools seamless.

Compatible with a variety of outdoor equipment, including trimmers and brush cutters, the DT20699-QZ EXO Harness enhances your efficiency and control. Its robust construction withstands daily use, offering reliable performance for years.

Upgrade your gear with the DT20699-QZ EXO Harness and tackle any task with ease, keeping your equipment secure and manageable. Experience unparalleled comfort and convenience today.

ACCESSORIES

DZ06225-QZ
25 cm Chainsaw Bar for DCMPS635
25 cm Bar, Pitch 3/8” LP

DZ06325-QZ
25 cm Chainsaw Chain for DCMPS635
25 cm Chain, Pitch 3/8” LP

DT20691-QZ
35 cm Chainsaw Bar for DCMCST635
Bar length 35 cm, Pitch 0.325” LP, Gauge 1.1mm, Drivelinks: 59, Low Kick Back, Semi Chisel, File: 4.0 mm



DT20692-QZ
35 cm Chainsaw Chain for DCMCST635
Bar length 35 cm, Pitch 0.325” LP, Gauge 1.1mm, Drivelinks: 59, Low Kick Back, Semi Chisel, File: 4.0 mm

DZ06430-QZ
30 cm Chainsaw Bar for DCMCST635 and DCMPS640
Bar length 30 cm, Pitch 0.325” LP, Gauge 1.1mm, Drivelinks: 51, Low Kick Back, Semi Chisel, File: 4.0 mm



DZ06530-QZ
30 cm Chainsaw Chain for DCMCST635 and DCMPS640
Bar length 30 cm, Pitch 0.325” LP, Gauge 1.1mm, Drivelinks: 51, Low Kick Back, Semi Chisel, File: 4.0 mm

DZ06440-QZ
40 cm Chainsaw Bar for DCMCST635
Bar length 40 cm, Pitch 0.325” LP, Gauge 1.1mm, Drivelinks: 64, Low Kick Back, Semi Chisel, File: 4.0 mm



DZ06540-QZ
40 cm Chainsaw Chain for DCMCST635
Bar length 40 cm, Pitch 0.325” LP, Gauge 1.1mm, Drivelinks: 64, Low Kick Back, Semi Chisel, File: 4.0mm

*DCMCST635/DCMPS640 **available exclusively in Outdoor Dealers channel only.**

ACCESSORIES

	DT20905-QZ 2.7 mm x 55 m String Trimmer Line for DCMST911/DCMST922
	DT20906-QZ 2.7 mm x 210 m String Trimmer Line for DCMST911/DCMST922
	DT20903-QZ Replacement Bump Head for DCMST911/DCMST922
	DT20904-QZ Brush Cutter Adapter Set for DCMST911/DCMST922
	DT20695-QZ Line Trimmer Adapter Set for DCMBC812/DCMBC823
	DT20653-QZ 25 cm Tri-Blade Brush Cutter for DCMBC812/DCMBC823
	DT20655-QZ 23 cm 4T Brush Cutter Blade for DCMBC812/DCMBC823
	DT20697-QZ Shoulder Strap for DCMST911
	DT20698-QZ Harness for DCMST922/DCMBC812/DCMBC823/DCMBC723
	DT20699-QZ EXO Harness for DCMST922/DCMBC812/DCMBC823/DCMBC723

*DCMST911/DCMST922/DCMBC812/DCMBC823/DCMBC723 **available exclusively in Outdoor Dealers channel only.**

FOR USE BY TRAINED ARBORISTS ONLY
54V XR FLEXVOLT
DEWALT LANDSCAPING AND FORESTRY *

54V XR FLEXVOLT® TOP-HANDLED CHAINSAW, DCMCST635*

Engineered for maneuverability, the 54V XR FLEXVOLT® Top Handle Chainsaw is ideal for tough tree pruning and removal. Powered by XR FLEXVOLT® batteries, this chainsaw cuts through an 11 in. log up to 35% faster than a 35cc Gas Chainsaw. Cuts through 11" hickory log in as fast as 11 seconds when using DCB547 battery. Built with user safety and control in mind, this product is equipped with an advanced LED dashboard and a harness attachment point. Featuring a chain speed of 23 m/s, A 2.42 HP brushless motor, and adjustable oiling, this chainsaw delivers up to 160 cuts per charge.

SPECIFICATIONS	
Motor	18V
Bar length (cm)	Attached 35 cm (Oregon). Also to be used with 30 – 40 cm bar length
Max. Chain Speed	23 m/s
Chain pitch	0.325" LP*
Drive link thickness	1.1 mm
Weight without battery	3.3 kg
Max. cutting length	30 cm
Oil capacity	140 ml
LED display	Yes State of charge/Fault warning/Brake warning
Runtime	160 cuts (4"x4")
Chain brake	YES

*Pitch: .325" Low Profile, Gauge: .043, Sequence: Standard. File size: 4 mm

ART. NO.	PRODUCT DESCRIPTION
DCMCST635N-XJ	54V XR FLEXVOLT® Top-Handled Chainsaw - Bare Tool Only**
DCMCST635X1-QW	54V XR FLEXVOLT® Top-Handled Chainsaw - 1 x 9Ah***

*Available exclusively in Outdoor Dealers channel only.
**N version is bare unit in carton, with scrench and scabbard
***X1 version comes in carton with 1 x DCB547 battery, DCB118 8amp charger in a carton with scrench and scabbard

RECOMMENDED CHARGERS TO 18V AND 54V BATTERIES

FOR OUTDOOR POWERTOOLS

18V XR® FAST CHARGER

DCB118

The DCB118 charges 54V XR FLEXVOLT® and 18V XR® batteries and is fan cooled for optimum performance and operates between 4*C and 40*C. It can be wall mounted to keep your jobsite or van tidy. Is charging 8A at the port.

18V XR® DUAL PORT CHARGER

DCB132

The DCB132 simultaneously charges two 54V XR FLEXVOLT® or 18V XR® batteries at a 4A output on each port.

18V XR® 4-PORT FAST CHARGER

DCB104

Charges up to four 12V XR®, 18V XR® and XR FLEXVOLT® batteries at the same time. This fast charger quickly charges a 5.0 Ah 18V XR® battery in 50 minutes, and a 9.0 Ah XR FLEXVOLT® battery in 75 minutes. Is charging 8A at the ports.

18V XR® FAST CHARGER

DCB117

The DCB117 charges 54V XR FLEXVOLT® and 18V XR® batteries and is fan cooled for optimum performance and operates between 4*C and 40*C. It can be wall mounted to keep your jobsite or van tidy. Is charging 12A at the port.

54V XR FLEX VOLT

18V XR

ART. NO.	PRODUCT DESCRIPTION
DCB118-QW	18V XR® Fast Charger 8.0 Ah
DCB132-QW	18V XR® Dual Port Charger 4.0 Ah
DCB104-QW	18V XR® 4-Port Fast Charger 8.0 Ah
DCB117-QW	18V XR® Fast Charger 12.0 Ah

BE THE FIRST TO HEAR DEWALT® NEWS

WELCOME TO MYDEWALT

Have a tough love for tools? Serious about your tools? Then why not be part of our community that takes this passion to the max? Joining lets you unlock extended tool warranties, gives quick access to news and events, and helps you easily see your tool inventory.

WHY JOIN?

As a MYDEWALT user, you can extend the warranty on some of your DEWALT® tools to 3 years. Just subscribe at MYDEWALT, follow the instructions on how to register your new product and add it to your Tool Overview within 4 weeks of purchase.

- Register your products for an extended warranty of up to 3 years
- Get the latest news, updates, and deals as soon as they're available
- Leave reviews on products
- Be part of the community

CREATE AN ACCOUNT

Already registered? Sign in here

HTTPS://CEE.DEWALT.GLOBAL/
MY-DEWALT

https://cee.dewalt.global/

The yellow and black colour scheme is used on DEWALT® Power Tools and Accessories as a trademark. DEWALT® cannot be held liable for any inaccuracies of description or illustration and reserve the right to change specifications without notification.

Be the first to see product news and special offers from DEWALT®. Register at MYDEWALT.

REGISTER AT

MY DEWALT®